

Flexible Sigmoidoscopy Instructions

The day before the exam:

- You may have a light meal around 3:00 pm (i.E. Half sandwich, soup)
- At 5:00 pm drink a 10 oz. Bottle of magnesium citrate This may be purchased at the pharmacy of your choice (no red coloring)
- Drink only clear fluids from this point until after the exam

Things you may have are:

Apple	~	White Gr	ape	Juice	~	Jello	~	Popsicles	~	Gatorade	~	Water	~	Soft Drinks	~	Kool-Aid
Hi-C ~	. (Clear Brot	:h ~	Boulli	on											

The day of the exam:

- No breakfast
- Do not take any diabetes medication until after the exam. You may check your blood sugar prior to arrival.
- You can drink clear liquids until 2 hours prior to your procedure _____
- When you arrive at the hospital you will be given two enemas in preparation for the exam.
- You must have a driver due to sedation you will receive. You will not be able to drive or work until the next day.

Date of procedure _____

_____ Arrival Time _____

** The time that we give you is the ARRIVAL time, your procedure typically starts 1 1/2 - 2 hours following your arrival **

** EXPECT TO BE HERE 3-4 HOURS **

Location: 43944 15th Street West, Ste 201 Lancaster, CA 93534

If you have any questions or concerns, please call our office at 661-529-7550.



43944 15th Street West, Ste 201 Ph Lancaster, CA 93534 Fa

Ph: 661.529.7550 Fax: 661.529.7560 Kumaravel S. Perumalsamy, MD Prithviraj Dharmaraja, MD Vivaik Tyagi, MD Duminda Suraweera, MD